

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name AAHG1

Product Description 1000 µg/mL Mercury
Contains Nitric acid

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Company
Inorganic Ventures
300 Technology Drive
Christiansburg, VA 24073
web: www.inorganicventures.com

E-mail Address info@inorganicventures.com

1.4. Emergency telephone number

Chemtrec 1-800-424-9300 (North America)
Chemtrec +1 703-741-5970 (International)

Europe	See above
--------	-----------

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

GHS

Skin corrosion/irritation	Category 1 Sub-category A - (H314)
Serious eye damage/eye irritation	Category 1 - (H318)
Chronic aquatic toxicity	Category 3 - (H412)

2.2. Label Elements

Product identifier
Contains Nitric acid



Signal word
Danger

Hazard statements

H314 - Causes severe skin burns and eye damage

H412 - Harmful to aquatic life with long lasting effects

Precautionary Statements - EU (§28, 1272/2008)

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

2.3. Other information

Inhalation of vapors in high concentration may cause irritation of respiratory system

Aspiration may cause pulmonary edema and pneumonitis

SECTION 3: Composition/information on ingredients**3.1 Substances**

Chemical name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Reg. No
Nitric acid	EEC No. Present	7697-37-2	5	(EUH071) Skin Corr. 1A (H314) Ox. Liq. 2 (H272)	No data available
Mercury	EEC No. Present	7439-97-6	0.1	Acute Tox. 2 (H330) Repr. 1B (H360D) STOT RE 1 (H372) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	No data available

Full text of H- and EUH-phrases: see section 16**SECTION 4: First aid measures****4.1. Description of first aid measures****General Advice**

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

Inhalation

Call a physician or poison control center immediately. Remove to fresh air. If breathing is difficult, give oxygen. If breathing is irregular or stopped, administer artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Immediate medical attention is required.

Skin Contact

Immediate medical attention is required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.

Eye Contact

Immediate medical attention is required. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area.

Ingestion

Immediate medical attention is required. Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person.

Self-protection of the first aider

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

4.2. Most important symptoms and effects, both acute and delayed

Most Important Symptoms and Effects Burn. Difficulty in breathing.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

No information available

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protection equipment.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****Personal Precautions**

Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Use personal protective equipment as required. Do not get in eyes, on skin, or on clothing.

Advice for emergency responders

Ensure adequate ventilation.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system. Prevent product from entering drains. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Take up mechanically, placing in appropriate containers for disposal.

6.4. Reference to other sections

See Section 12: ECOLOGICAL INFORMATION.

SECTION 7: Handling and storage**7.1. Precautions for Safe Handling****Advice on safe handling**

Ensure adequate ventilation.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended.

7.2. Conditions for safe storage, including any incompatibilities**Storage Conditions**

Keep container tightly closed in a dry and well-ventilated place.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure Limits**

Chemical name	EU	United Kingdom	France	Spain	Germany	
Nitric acid 7697-37-2	STEL 1 ppm STEL 2.6 mg/m³	STEL: 1 ppm STEL: 2.6 mg/m³	STEL: 1 ppm STEL: 2.6 mg/m³	STEL: 1 ppm STEL: 2.6 mg/m³	TWA: 1 ppm TWA: 2.6 mg/m³	
Mercury 7439-97-6		TWA: 0.02 mg/m³	TWA: 0.02 mg/m³ TWA: 0.1 mg/m³	TWA: 0.02 mg/m³	TWA: 0.02 mg/m³ Ceiling / Peak: 0.16 mg/m³ Skin	
Chemical name	Italy	Portugal	The Netherlands	Finland	Denmark	
Nitric acid 7697-37-2	STEL: 1 ppm STEL: 2.6 mg/m³	STEL: 4 ppm TWA: 2 ppm	STEL: 1.3 mg/m³	TWA: 0.5 ppm TWA: 1.3 mg/m³ STEL: 1 ppm STEL: 2.6 mg/m³		
Mercury 7439-97-6	TWA: 0.02 mg/m³ Skin	TWA: 0.02 mg/m³ TWA: 0.025 mg/m³	TWA: 0.02 mg/m³	TWA: 0.02 mg/m³ Skin	TWA: 0.02 mg/m³ Skin	
Chemical name	Sweden	Austria	Switzerland	Poland	Norway	Ireland
Nitric acid 7697-37-2	LLV: 0.5 ppm LLV: 1.3 mg/m³ Binding STLTV: 1 ppm Binding STLTV: 2.6 mg/m³	STEL 1 ppm STEL 2.6 mg/m³	STEL: 2 ppm STEL: 5 mg/m³ TWA: 2 ppm TWA: 5 mg/m³	STEL: 2.6 mg/m³ TWA: 1.4 mg/m³	STEL: 4 ppm STEL: 10 mg/m³	STEL: 1 ppm STEL: 2.6 mg/m³
Mercury 7439-97-6	LLV: 0.02 mg/m³	Skin STEL 0.08 mg/m³ TWA: 0.02 mg/m³	Skin STEL: 0.04 ppm STEL: 0.4 mg/m³ STEL: 0.16 mg/m³ TWA: 0.005 ppm TWA: 0.05 mg/m³ TWA: 0.02 mg/m³	TWA: 0.02 mg/m³	STEL: 0.06 mg/m³	TWA: 0.02 mg/m³ STEL: 0.06 mg/m³

Chemical name	European Union	United Kingdom	France	Spain	Germany
Mercury 7439-97-6			0.015 mg/L blood end of shift at end of workweek Total inorganic Mercury Background noise on non-exposed subjects 0.050 mg/g creatinine urine prior to shift Total inorganic Mercury Background noise on non-exposed subjects		
Component	Italy	Portugal	Netherlands	Finland	Denmark
Mercury 7439-97-6 (0.1)	(ACGIH:) 20 µg/g Creatinine urine prior to shift Total inorganic mercury Background				

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls**Engineering Measures**

Ensure adequate ventilation, especially in confined areas.

Personal protective equipment**Eye/Face Protection**

Wear safety glasses with side shields (or goggles).

Hand Protection

Impervious gloves.

Skin and Body Protection

Impervious clothing. Boots. Chemical resistant apron.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.

Environmental Exposure Controls

Prevent product from entering drains.

SECTION 9: Physical and chemical properties**Information on basic physical and chemical properties****Physical state**

Liquid

Appearance

clear / colorless

Odor

Odorless

Property**Values**

pH - VALUE 1

No data available

Melting point / melting range

No data available

Boiling point / boiling range

100 °C

Evaporation rate

No data available

Flammability (solid, gas)

No data available

Vapor pressure @20 °C (kPa)

No data available

Vapor density

No data available

Relative Density

No data available

Specific gravity - VALUE 1

No data available

Water solubility

Miscible

Partition coefficient: n-octanol/water

No data available

Autoignition temperature

No data available

Decomposition temperature

No data available

Dynamic viscosity - VALUE 1

No data available

Explosive Properties

No information available

Oxidizing Properties

No information available

Other information**VOC Content (%)**

No information available

SECTION 10: Stability and reactivity**10.1. Reactivity**

No data available.

10.2. Chemical Stability

Stable under normal conditions.

Explosion Data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

10.3. Possibility of Hazardous Reactions**Hazardous Polymerization**

Hazardous polymerization does not occur.

Hazardous Reactions

None under normal processing.

10.4. Conditions to Avoid

None known.

10.5. Incompatible materials

Reducing agent

10.6. Hazardous Decomposition Products

Nitrogen oxides (NO_x).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute Toxicity

<u>Product Information</u>	The product causes burns of eyes, skin and mucous membranes. Harmful if swallowed. Harmful by inhalation. Harmful in contact with skin.
Inhalation	Contact with moist mucous membranes of the respiratory system can cause caustic condition resulting in burns. Aspiration may cause pulmonary edema and pneumonitis. Harmful by inhalation. Causes burns. Corrosive to respiratory system. Inhaled corrosive substances can lead to a toxic edema of the lungs.
Eye Contact	Causes burns.
Skin Contact	Causes burns. Harmful in contact with skin. May be absorbed through the skin in harmful amounts.
Ingestion	Can burn mouth, throat, and stomach. Harmful if swallowed.

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	5,010.00 mg/kg
ATEmix (dermal)	5,000.00 mg/kg
ATEmix (inhalation-dust/mist)	44.9364 mg/l
ATEmix (inhalation-vapor)	25,000.000 mg/l
<u>Unknown acute toxicity</u>	
0 % of the mixture consists of ingredient(s) of unknown toxicity.	
5 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.	
5 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.	
5 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).	
0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).	
0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).	

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Sensitization	No information available.
Mutagenic Effects	No information available.
Carcinogenic effects	
Reproductive Toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Target Organ Effects	Respiratory system, Skin, Eyes.
Aspiration hazard	No information available.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects

Contains 0 % of components with unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Crustacea
Nitric acid		72: 96 h Gambusia affinis mg/L LC50	
Mercury		0.18: 96 h Cyprinus carpio mg/L LC50 static 0.9: 96 h Oryzias latipes mg/L LC50 flow-through 0.16: 96 h Cyprinus carpio mg/L LC50 semi-static 0.5: 96 h Cyprinus carpio mg/L LC50	EC50 96 h = 5.0 µg/L (water flea)

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

Chemical name	Partition coefficient
Nitric acid	-2.3

12.4. Mobility in soil

Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from Residues/Unused Products

Dispose of in accordance with federal, state and local regulations.

Contaminated Packaging

Do not reuse empty containers.

Other Information

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

IMDG

14.1. UN-No

UN3264

14.2. Proper shipping name

Corrosive liquid, acidic, inorganic, n.o.s

14.3. Transport hazard class(es)

8

14.4. Packing Group

III

Description

Not applicable

14.5. Marine Pollutant

None

14.6. Special Provisions

None

No information available **Transport** No information available
in bulk according
to Annex II of MARPOL 73/78 and
the IBC Code

RID

14.1. UN-No	UN3264
14.2. Proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s
14.3. Hazard Class	8
14.4. Packing Group	III
Description	Not applicable
14.5. Environmental hazard	None
14.6. Special Provisions	None

ADR

14.1. UN-No	UN3264
14.2. Proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s
14.3. Hazard Class	8
14.4. Packing Group	III
Description	Not applicable
14.5. Environmental hazard	None
14.6. Special Provisions	None

ICAO

14.1. UN-No	UN3264
14.2. Proper Shipping Name	Corrosive liquid, acidic, inorganic, n.o.s
14.3. Hazard Class	8
14.4. Packing Group	III
Description	Not applicable
14.5. Environmental hazard	None
14.6. Special Provisions	None

IATA-DGR

14.1. UN-No	UN3264
14.2. Proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s
14.3. Transport hazard class(es)	8
14.4. Packing Group	III
Description	Not applicable
14.5. Environmental hazard	None
14.6. Special Provisions	None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

International Inventories

All of the components in the product are on the following Inventory lists: U.S.A. (TSCA), Europe (EINECS/ELINCS/NLP), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), China (IECSC), Australia (AICS), Korea (ECL).

TSCA	Complies
EINECS/ELINCS	Complies
DSL/NDSL	Complies
PICCS	Complies
ENCS	Complies
IECSC	Complies
AICS	Complies
KECL	Complies

Legend

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
PICCS - Philippines Inventory of Chemicals and Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances

AICS - Australian Inventory of Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances

15.2. Chemical Safety Assessment

No information available

SECTION 16: Other information

Full text of R-phrases referred to under sections 2 and 3

R35 - Causes severe burns
R8 - Contact with combustible material may cause fire
R33 - Danger of cumulative effects
R61 - May cause harm to the unborn child
R26 - Very toxic by inhalation
R34 - Causes burns
R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R26/27/28 - Very toxic by inhalation, in contact with skin and if swallowed
R48/23 - Toxic: danger of serious damage to health by prolonged exposure through inhalation
R20/21/22 - Harmful by inhalation, in contact with skin and if swallowed

Full text of H-Statements referred to under section 3

EUH071 - Corrosive to the respiratory tract
H272 - May intensify fire; oxidizer
H314 - Causes severe skin burns and eye damage
H330 - Fatal if inhaled
H360D - May damage the unborn child
H372 - Causes damage to organs through prolonged or repeated exposure
H400 - Very toxic to aquatic life
H410 - Very toxic to aquatic life with long lasting effects

Revision Date 18-Oct-2022

Reason for Revision Not applicable.

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet