

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name AATE1

Synonyms 1000 µg/mL: Te

Substance/mixture Mixture

Contains Hydrogen chloride

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Laboratory chemicals

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Company
Inorganic Ventures
300 Technology Drive
Christiansburg, VA 24073
Phone: 1(800) 669-6799
Email: info@inorganicventures.com

1.4. Emergency telephone number

Chemtrec 1-800-424-9300 (North America)

Chemtrec +1 703-741-5970 (International)

Europe	See above
--------	-----------

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

*Classification according to
Regulation (EC) No. 1272/2008 [CLP]*

GHS

Acute toxicity - Inhalation (Gases)	Category 4 - (H332)
Skin corrosion/irritation	Category 1 Sub-category A - (H314)
Reproductive toxicity	Category 1B - (H360Df)
Effects on or via lactation	Yes
Corrosive to metals	Category 1 - (H290)

2.2. Label elements

Product identifier
Contains Hydrogen chloride

**Signal word**

Danger

Hazard statements

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

H332 - Harmful if inhaled

H360Df - May damage the unborn child. Suspected of damaging fertility

H362 - May cause harm to breast-fed children

Precautionary statements

P260 - Do not breathe dust, fume, gas, mist, vapors and spray

P263 - Avoid contact during pregnancy and while nursing

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

2.3. Other hazards

May cause central nervous system depression with nausea, headache, dizziness, vomiting, and incoordination

SECTION 3: Composition/information on ingredients**3.1 Substances**

Not applicable

3.2. Mixtures

Chemical name	EC No. (Index No.)	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number
Hydrogen chloride	231-595-7 (017-002-00-2) (017-002-01-X)	7647-01-0	9.9	Press. Gas Skin Corr. 1A (H314) Acute Tox. 3 (H331)	No data available
Tellurium	236-813-4 (052-001-00-0)	13494-80-9	0.1	Repr. 1B (H360Df) Lact. (H362)	No data available

Full text of H- and EUH-phrases: see section 16**SECTION 4: First aid measures****4.1. Description of first aid measures****General Advice**

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

Inhalation

Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth

resuscitation. Call a physician or poison control center immediately. If breathing is difficult, give oxygen. If breathing is irregular or stopped, administer artificial respiration.

Skin Contact

Immediate medical attention is required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.

Eye Contact

Immediate medical attention is required. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area.

Ingestion

Immediate medical attention is required. Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person.

Self-protection of the first aider

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

4.2. Most important symptoms and effects, both acute and delayed**Most Important Symptoms and Effects**

Difficulty in breathing. Burn.

4.3. Indication of any immediate medical attention and special treatment needed**Notes to Physician**

Treat symptomatically Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure

SECTION 5: Firefighting measures

5.1. Extinguishing media**Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

No information available

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures**Personal Precautions**

Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Use personal protective equipment as required. Do not get in eyes, on skin, or on clothing.

Refer to protective measures listed in Sections 7 and 8.

Advice for emergency responders

Ensure adequate ventilation.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system. Prevent product from entering drains. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Take up mechanically, placing in appropriate containers for disposal.

6.4. Reference to other sections

See Section 12: ECOLOGICAL INFORMATION.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling
Ensure adequate ventilation.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep container tightly closed in a dry and well-ventilated place.

7.3. Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Chemical name	European Union (Directives 98/24/EC and 2004/37/EC)	United Kingdom	France (INRS ED 6443)	Spain (Occupational exposure limits for chemical agents in Spain, 2025)	Germany (DFG)
Hydrogen chloride 7647-01-0	TWA: 5 ppm; TWA: 8 mg/m ³ ; STEL: 10 ppm; STEL: 15 mg/m ³ ;	TWA: 1 ppm; gas and aerosol mist TWA: 2 mg/m ³ ; gas and aerosol mist STEL: 5 ppm; gas and aerosol mist STEL: 8 mg/m ³ ; gas and aerosol mist	STEL-VLCT (restrictif): 5 ppm; STEL-VLCT (restrictif): 7.6 mg/m ³ ;	TWA-(VLA-ED): 5 ppm; TWA-(VLA-ED): 7.6 mg/m ³ ; STEL (VLA-EC): 10 ppm; STEL (VLA-EC): 15 mg/m ³ ;	TWA-MAK: 2 ppm; I(2); TWA-MAK: 3.0 mg/m ³ ; I(2);
Tellurium 13494-80-9		TWA: 0.1 mg/m ³ ; STEL: 0.3 mg/m ³ ;	TWA-VME: 0.1 mg/m ³ ;	TWA-(VLA-ED): 0.1 mg/m ³ ;	
Chemical name	Italy (Legislative Decree no. 81)	Portugal (NP 1796:2014)	Netherlands (Working Conditions Regulations)	Finland (HTP-ARVOT 2025)	Denmark (BEK no. 1619 of 19/12/2024)
Hydrogen chloride 7647-01-0	TWA: 5 ppm; TWA: 8 mg/m ³ ; STEL: 10 ppm; STEL: 15 mg/m ³ ;	TWA (VLE-MP): 5 ppm; TWA (VLE-MP): 8 mg/m ³ ; STEL (VLE-CD): 10 ppm;	TWA: 5 ppm; TWA: 8 mg/m ³ ; STEL: 10 ppm; STEL: 15 mg/m ³ ;	STEL: 5 ppm; STEL: 7.6 mg/m ³ ;	STEL: 5 ppm; STEL: 8 mg/m ³ ;

		STEL (VLE-CD): 15 mg/m³; Ceiling (VLE-CM): 2 ppm;				
Tellurium 13494-80-9		TWA (VLE-MP): 0.1 mg/m³;		TWA: 0.1 mg/m³; STEL: 0.3 mg/m³;	TWA: 0.1 mg/m³; powder STEL: 0.2 mg/m³; powder	
Chemical name	Sweden	Austria (GKV BGBl. II Nr. 330/2024)	Switzerland (MAK Values)	Poland (Legislative Journal 2018 item 1286)	Norway (FOR-2011-12-06-1358)	Ireland (CoP 2024)
Hydrogen chloride 7647-01-0	LLV: 2 ppm LLV: 3 mg/m³ Binding STLV: 4 ppm Binding STLV: 6 mg/m³	TWA-TMW: 5 ppm; TWA-TMW: 8 mg/m³; STEL-KZGW: 10 ppm (8 X 5 min); STEL-KZGW: 15 mg/m³ (8 X 5 min);	TWA-MAK: 2 ppm; TWA-MAK: 3 mg/m³; STEL-KZGW: 4 ppm; STEL-KZGW: 6 mg/m³;	TWA-NDS: 5 mg/m³; STEL-NDSch: 10 mg/m³;	Ceiling: 5 ppm; Ceiling: 7 mg/m³;	TWA: 8 mg/m³; TWA: 5 ppm; STEL: 10 ppm; STEL: 15 mg/m³;
Tellurium 13494-80-9	LLV: 0.1 mg/m³	TWA-TMW: 0.1 mg/m³; inhalable fraction STEL-KZGW: 0.5 mg/m³ (2 X 30 min); inhalable fraction	TWA-MAK: 0.1 mg/m³; inhalable dust STEL-KZGW: 0.2 mg/m³; inhalable dust	TWA-NDS: 0.01 mg/m³; STEL-NDSch: 0.03 mg/m³;	TWA: 0.1 mg/m³; STEL: 0.3 mg/m³ (value calculated);	TWA: 0.1 mg/m³; STEL: 0.3 mg/m³ (calculated);

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration (PNEC)

8.2. Exposure controls

Engineering Measures Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/Face Protection

Wear safety glasses with side shields (or goggles).

Hand Protection

Impervious gloves.

Skin and Body Protection

Impervious clothing. Boots. Chemical resistant apron.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.

Environmental Exposure Controls Prevent product from entering drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Liquid

Odor

Slight chlorine

pH - VALUE 1

No data available

Melting Point/Range

No data available

Initial boiling point and boiling range

100 °C / 212 °F

Vapor pressure @20 °C (kPa)

No data available

Relative vapor density

No data available

Relative density

No data available

Specific gravity - VALUE 1

No data available

Water solubility

Miscible

Partition coefficient

No data available

Autoignition temperature	No data available
Decomposition temperature	No data available
Dynamic viscosity - VALUE 1	No data available
Explosive properties	No information available
Oxidizing Properties	No information available
VOC content	No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

10.3. Possibility of hazardous reactions

Hazardous polymerization

None under normal processing.

Hazardous Reactions

None under normal processing.

10.4. Conditions to avoid

Heating can release hazardous gases.

10.5. Incompatible materials

Bases Cyanides

10.6. Hazardous decomposition products

Hydrogen chloride.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute Toxicity

Product Information

The product causes burns of eyes, skin and mucous membranes.

Inhalation

Causes burns. Corrosive to respiratory system. Inhaled corrosive substances can lead to a toxic edema of the lungs.

Eye Contact

Causes burns.

Skin Contact

Causes burns.

Ingestion

Can burn mouth, throat, and stomach.

The following ATE values have been calculated for the mixture

mg/kg

ATEmix (inhalation-gas) 5,689.90 ppm

ATEmix (inhalation-dust/mist) 5.06 mg/l

Unknown acute toxicity

Component Information

Skin corrosion/irritation

No information available.

Serious eye damage/eye irritation

No information available.

Sensitization

No information available.

Mutagenic Effects

No information available.

Carcinogenic effects

Reproductive Toxicity

No information available.

STOT - single exposure

No information available.

STOT - repeated exposure

No information available.

Aspiration hazard

No information available.

SECTION 12: Ecological information

12.1. Toxicity

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

No information available.

Chemical name	PBT and vPvB assessment
Hydrogen chloride	Not PBT/vPvB
Tellurium	PBT assessment does not apply

12.6. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from Residues/Unused Products	Dispose of in accordance with federal, state and local regulations.
Contaminated Packaging	Do not reuse empty containers.
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

IMDG

14.1. UN-No	UN3264
14.2. Proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s
14.3. Transport hazard class(es)	8
14.4. Packing group	III
Description	Not applicable
14.5. Marine Pollutant	None
14.6. Special Provisions	None
No information available in bulk according to Annex II of MARPOL 73/78 and the IBC Code	No information available

RID

14.1. UN-No	UN3264
14.2. Proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s
14.3. Transport hazard class(es)	8
14.4. Packing group	III
Description	Not applicable
14.5. Environmental hazards	None
14.6. Special Provisions	None

ADR

14.1. UN-No	UN3264
14.2. Proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s

14.3. Transport hazard class(es)	8
14.4. Packing group	III
Description	Not applicable
14.5. Environmental hazards	None
14.6. Special Provisions	None

ICAO

14.1. UN-No	UN3264
14.2. Proper Shipping Name	Corrosive liquid, acidic, inorganic, n.o.s
14.3. Hazard Class	8
14.4. Packing Group	III
Description	Not applicable
14.5. Environmental hazards	None
14.6. Special Provisions	None

IATA-DGR

14.1. UN-No	UN3264
14.2. Proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s
14.3. Transport hazard class(es)	8
14.4. Packing group	III
Description	Not applicable
14.5. Environmental hazards	None
14.6. Special Provisions	None

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations****Occupational Illnesses (R-463-3, France)****Germany****TA Luft (German Air Pollution Control Regulation)****European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

International Inventories

All of the components in the product are on the following Inventory lists: U.S.A. (TSCA), Europe (EINECS/ELINCS/NLP), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), China (IECSC), Australia (AICS), Korea (ECL).

TSCA	Complies
EINECS/ELINCS	Complies
DSL/NDSL	Complies
PICCS	Complies
ENCS	Complies
IECSC	Complies
AIIC	Complies
KECL	Complies

Legend

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

AICS - Australian Inventory of Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

15.2. Chemical safety assessment

No information available

SECTION 16: Other information

Full text of R-phrases referred to under sections 2 and 3

No information available

Full text of any hazard and/or precautionary statements referred to under Sections 2-15

H314 - Causes severe skin burns and eye damage

H331 - Toxic if inhaled

H360Df - May damage the unborn child. Suspected of damaging fertility

H362 - May cause harm to breast-fed children

Revision date 22-Sep-2026

Reason for Revision Not applicable.

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet