

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name CGHG10

Synonyms 10000 µg/mL: Mercury

Substance/mixture Mixture

Contains Nitric acid; Mercury

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Laboratory chemicals

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Company

Inorganic Ventures
300 Technology Drive
Christiansburg, VA 24073
Phone: 1(800) 669-6799
Email: info@inorganicventures.com

1.4. Emergency telephone number

Chemtrec 1-800-424-9300 (North America)

Chemtrec +1 703-741-5970 (International)

Europe	See above
--------	-----------

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

*Classification according to
Regulation (EC) No. 1272/2008 [CLP]*

GHS

Acute toxicity - Oral	Category 4 - (H302)
Acute toxicity - Dermal	Category 3 - (H311)
Acute toxicity - Inhalation (Gases)	Category 4 - (H332)
Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 1 - (H318)
Reproductive toxicity	Category 1B - (H360D)
Specific target organ toxicity (repeated exposure)	Category 2 - (H373)
Hazardous to the aquatic environment - chronic	Category 3 - (H412)
Corrosive to metals	Category 1 - (H290)

2.2. Label elements

Product identifier
Contains Nitric acid; Mercury

**Signal word**

Danger

Hazard statements

H290 - May be corrosive to metals

H302 - Harmful if swallowed

H311 - Toxic in contact with skin

H315 - Causes skin irritation

H318 - Causes serious eye damage

H332 - Harmful if inhaled

H360D - May damage the unborn child

H373 - May cause damage to organs through prolonged or repeated exposure

H412 - Harmful to aquatic life with long lasting effects

Precautionary statements

P260 - Do not breathe dust, fume, gas, mist, vapors and spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

2.3. Other hazards

Other hazards

Toxic to aquatic life

No information available

SECTION 3: Composition/information on ingredients**3.1 Substances**

Not applicable

3.2. Mixtures

Chemical name	EC No. (Index No.)	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number
Nitric acid	231-714-2 (007-004-00-1) (007-030-00-3) (078-012-00-0)	7697-37-2	3.5	(EUH071) Skin Corr. 1A (H314) Ox. Liq. 3 (H272) Acute Tox. 3 (H331)	No data available
Mercury	231-106-7 (080-001-00-0) (080-002-00-6)	7439-97-6	1	Acute Tox. 2 (H330) Repr. 1B (H360D) STOT RE 1 (H372) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	No data available

Full text of H- and EUH-phrases: see section 16

SECTION 4: First aid measures**4.1. Description of first aid measures****General Advice**

Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

Inhalation	Call a physician or poison control center immediately. Remove to fresh air. If breathing is difficult, give oxygen. If breathing is irregular or stopped, administer artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.
Skin Contact	Immediate medical attention is required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Eye Contact	Immediate medical attention is required. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area.
Ingestion	Immediate medical attention is required. Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person.
Self-protection of the first aider	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

4.2. Most important symptoms and effects, both acute and delayed

Most Important Symptoms and Effects	Burn. Difficulty in breathing.
--	--------------------------------

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure
---------------------------	---

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

No information available

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions

Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Use personal protective equipment as required. Do not get in eyes, on skin, or on clothing.

Advice for emergency responders

Ensure adequate ventilation.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system. Prevent product from entering drains. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Take up mechanically, placing in appropriate containers for disposal.

6.4. Reference to other sections

See Section 12: ECOLOGICAL INFORMATION.

SECTION 7: Handling and storage

7.1. Precautions for safe handling**Advice on safe handling**

Ensure adequate ventilation.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended.

7.2. Conditions for safe storage, including any incompatibilities**Storage Conditions**

Keep container tightly closed in a dry and well-ventilated place.

7.3. Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters**Exposure Limits**

Chemical name	European Union (Directives 98/24/EC and 2004/37/EC)		United Kingdom	France (INRS ED 6443)	Spain (Occupational exposure limits for chemical agents in Spain, 2025)		Germany (DFG)
Nitric acid 7697-37-2	STEL: 1 ppm; STEL: 2.6 mg/m³;		STEL: 1 ppm; STEL: 2.6 mg/m³;	STEL-VLCT (indicatif): 1 ppm; STEL-VLCT (indicatif): 2.6 mg/m³;	STEL (VLA-EC): 1 ppm; STEL (VLA-EC): 2.6 mg/m³;		
Mercury 7439-97-6	TWA: 0.02 mg/m³;		TWA: 0.02 mg/m³; STEL: 0.06 mg/m³;	TWA-VME: 0.02 mg/m³; TWA-VME (restrictif): 0.02 mg/m³; dSk	TWA-(VLA-ED): 0.02 mg/m³;		TWA-MAK: 0.02 mg/m ³; II(8); inhalable fraction Sk
Chemical name	Italy (Legislative Decree no. 81)		Portugal (NP 1796:2014)	Netherlands (Working Conditions Regulations)	Finland (HTP-ARVOT 2025)		Denmark (BEK no. 1619 of 19/12/2024)
Nitric acid 7697-37-2	STEL: 1 ppm; STEL: 2.6 mg/m³;		TWA (VLE-MP): 2 ppm; STEL (VLE-CD): 1 ppm; STEL (VLE-CD): 2.6 mg/m³;	STEL: 0.5 ppm; STEL: 1.3 mg/m³;	TWA: 0.5 ppm; TWA: 1.3 mg/m³; STEL: 1 ppm; STEL: 2.6 mg/m³;		STEL: 1 ppm; STEL: 2.6 mg/m³;
Mercury 7439-97-6	TWA: 0.02 mg/m³; pSk		TWA (VLE-MP): 0.02 mg/m³; pSk	TWA: 0.02 mg/m³;	TWA: 0.02 mg/m³; pSk		TWA: 0.02 mg/m³; including vapours STEL: 0.04 mg/m³; including vapours pSk
Chemical name	Sweden		Austria (GKV BGBl. II Nr. 330/2024)	Switzerland (MAK Values)	Poland (Legislative Journal 2018 item 1286)	Norway (FOR-2011-12-06- 1358)	Ireland (CoP 2024)

Nitric acid 7697-37-2	LLV: 0.5 ppm LLV: 1.3 mg/m ³ Binding STLV: 1 ppm Binding STLV: 2.6 mg/m ³	TWA-TMW: 1 ppm; TWA-TMW: 2.6 mg/m ³ ; STEL-KZGW: 1 ppm (); STEL-KZGW: 2.6 mg/m ³ (); Ceiling: 1 ppm; Ceiling: 2.6 mg/m ³ ;	TWA-MAK: 2 ppm; TWA-MAK: 5 mg/m ³ ; STEL-KZGW: 2 ppm; STEL-KZGW: 5 mg/m ³ ;	TWA-NDS: 1.4 mg/m ³ ; STEL-NDSch: 2.6 mg/m ³ ;	TWA: 2 ppm; TWA: 5 mg/m ³ ; STEL: 4 ppm (value calculated); STEL: 10 mg/m ³ (value calculated);	STEL: 1 ppm; STEL: 2.6 mg/m ³ ;
Mercury 7439-97-6	LLV: 0.02 mg/m ³	TWA-TMW: 0.02 mg/m ³ ; as long as dust forming, inhalable fraction STEL-KZGW: 0.08 mg/m ³ (4 X 15 min); inhalable fraction, dust Sk DS	TWA-MAK: 0.01 mg/m ³ ; inhalable dust TWA-MAK: 0.02 mg/m ³ ; aerosol, vapour STEL-KZGW: 0.16 mg/m ³ ; aerosol, vapour Sk S	TWA-NDS: 0.02 mg/m ³ ; vapor TWA-NDS: 0.02 mg/m ³ ; Sk	TWA: 0.02 mg/m ³ ; STEL: 0.06 mg/m ³ (value calculated); As	TWA: 0.02 mg/m ³ ; STEL: 0.06 mg/m ³ (calculated);

Chemical name	European Union (Directive 98/24/EC)	United Kingdom	France (Decree 2009-157)	Spain (Occupational exposure limits for chemical agents in Spain, 2025)	Germany (TRGS 903)
Mercury 7439-97-6		20 µmol/mol creatinine - urine (Mercury) - random	- blood (total Inorganic mercury) - end of shift at end of workweek - urine (total Inorganic mercury) - prior to shift	30 µg/g Creatinine (urine - total Inorganic mercury pre-shift) 10 µg/L (blood - total Inorganic mercury end of workweek)	25 µg/g Creatinine (urine - Mercury no restriction in steady state)
Component	Italy (Legislative Decree no. 81)	Portugal	Netherlands	Finland (HTP-ARVOT 2025)	Denmark (BEK no. 1619 of 19/12/2024)
Mercury 7439-97-6 (1)				140 nmol/L (urine - Mercury in the morning after a working day at the end of a working week or exposure period) 50 nmol/L (blood - Mercury, inorganic at the end of a working week; time of day does not matter)	
Chemical name	Austria (VGÜ 2008)	Switzerland (BAT Values)	Poland	Norway	Ireland (CoP 2024)
Mercury 7439-97-6	25 µg/g Creatinine - urine () - after end of work day, at the end of a work week/end of the shift	25 µg/g creatinine (urine - Mercury inorganic no restrictions) 14.3 nmol/mmol creatinine (urine - Mercury inorganic no restrictions)			10 µg/L (blood - Mercury) 30 µg/g Creatinine (urine - Mercury)

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration (PNEC)

8.2. Exposure controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/Face Protection

Wear safety glasses with side shields (or goggles).

Hand Protection

Impervious gloves.

Skin and Body Protection

Impervious clothing. Boots. Chemical resistant apron.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.

Environmental Exposure Controls Prevent product from entering drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	clear /colorless
Odor	Odorless
pH - VALUE 1	No data available
Melting Point/Range	No data available
Initial boiling point and boiling range	100 °C / 212 °F
Literary reference	
Vapor pressure @20 °C (kPa)	No data available
Relative vapor density	No data available
Relative density	No data available
Specific gravity - VALUE 1	No data available
Water solubility	Miscible
Literary reference	
Partition coefficient	No data available
Autoignition temperature	No data available
Decomposition temperature	No data available
Dynamic viscosity - VALUE 1	No data available
Explosive properties	No information available
Oxidizing Properties	No information available
VOC content	No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

10.3. Possibility of hazardous reactions

Hazardous polymerization

None under normal processing.

Hazardous Reactions

None under normal processing.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Bases Cyanides

10.6. Hazardous decomposition products

Nitrogen oxides (NO_x).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute Toxicity

Product Information

The product causes burns of eyes, skin and mucous membranes.

Inhalation

Causes burns. Corrosive to respiratory system. Inhaled corrosive substances can lead to a toxic edema of the lungs. Contact with moist mucous membranes of the respiratory system can cause caustic condition resulting in burns. Aspiration may cause pulmonary edema and pneumonitis.

Eye Contact

Causes burns.

Skin Contact

Causes burns.

Ingestion

Can burn mouth, throat, and stomach.

The following ATE values have been calculated for the mixture

ATEmix (oral)	501.00 mg/kg
ATEmix (dermal)	500.00 mg/kg
ATEmix (inhalation-gas)	10,001.00 ppm
ATEmix (inhalation-dust/mist)	5.0100 mg/l
ATEmix (inhalation-vapor)	30.150 mg/l
<u>Unknown acute toxicity</u>	

Component Information

Skin corrosion/irritation No information available.

Serious eye damage/eye irritation No information available.

Sensitization No information available.

Mutagenic Effects No information available.

Carcinogenic effects

Reproductive Toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects

Chemical name	Algae/aquatic plants	Fish	Crustacea
Mercury		LC50: =0.5mg/L (96h, Cyprinus carpio) LC50: =0.16mg/L (96h, Cyprinus carpio) LC50: =0.18mg/L (96h, Cyprinus carpio) LC50: =0.9mg/L (96h, Oryzias)	

		latipes)	
--	--	----------	--

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

Chemical name	Partition coefficient
Nitric acid	-2.3

12.4. Mobility in soil**Mobility in soil**

No information available.

12.5. Results of PBT and vPvB assessment

No information available.

Chemical name	PBT and vPvB assessment
Nitric acid	Not PBT/vPvB

12.6. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods**Waste from Residues/Unused Products**

Dispose of in accordance with federal, state and local regulations.

Contaminated Packaging

Do not reuse empty containers.

Other information

Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

IMDG

14.1. UN-No	UN3264
14.2. Proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s
14.3. Transport hazard class(es)	8
14.4. Packing group	III
Description	Not applicable
14.5. Marine Pollutant	None
14.6. Special Provisions	None
No information available Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	No information available

RID

14.1. UN-No	UN3264
14.2. Proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s
14.3. Transport hazard class(es)	8
14.4. Packing group	III
Description	Not applicable
14.5. Environmental hazards	None
14.6. Special Provisions	None

ADR

14.1. UN-No	UN3264
14.2. Proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s
14.3. Transport hazard class(es)	8
14.4. Packing group	III
Description	Not applicable
14.5. Environmental hazards	None
14.6. Special Provisions	None

ICAO

14.1. UN-No	UN3264
14.2. Proper Shipping Name	Corrosive liquid, acidic, inorganic, n.o.s
14.3. Hazard Class	8
14.4. Packing Group	III
Description	Not applicable
14.5. Environmental hazards	None
14.6. Special Provisions	None

IATA-DGR

14.1. UN-No	UN3264
14.2. Proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s
14.3. Transport hazard class(es)	8
14.4. Packing group	III
Description	Not applicable
14.5. Environmental hazards	None
14.6. Special Provisions	None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**National regulations****Occupational Illnesses (R-463-3, France)****Germany****TA Luft (German Air Pollution Control Regulation)****European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

International Inventories

All of the components in the product are on the following inventory lists: U.S.A. (TSCA), Europe (EINECS/ELINCS/NLP), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), China (IECSC), Australia (AICS), Korea (ECL).

TSCA	Complies
EINECS/ELINCS	Complies
DSL/NDSL	Complies
PICCS	Complies
ENCS	Complies
IECSC	Complies
AIIC	Complies
KECL	Complies

Legend

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

AICS - Australian Inventory of Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

15.2. Chemical safety assessment

No information available

SECTION 16: Other information**Full text of R-phrases referred to under sections 2 and 3**

No information available

Full text of any hazard and/or precautionary statements referred to under Sections 2-15

EUH071 - Corrosive to the respiratory tract

H272 - May intensify fire; oxidizer

H314 - Causes severe skin burns and eye damage

H330 - Fatal if inhaled

H331 - Toxic if inhaled

H360D - May damage the unborn child

H372 - Causes damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

Revision date 28-Sep-2026**Reason for Revision** Not applicable.**This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006****Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet