

SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name IV-STOCK-4

Other means of identification

Product Description 1000 µg/mL: Ag, Al, B, Ba, Bi, Ca, Cd, Co, Cr, Cu, Fe, Ga, In, K, Li, Mg, Mn, Na, Ni, Pb, Sr, Tl, Zn

Recommended use of the chemical and restrictions on use

Recommended Use Laboratory chemicals.

Uses advised against No information available

Details of the supplier of the safety data sheet

Company

Inorganic Ventures
300 Technology Drive
Christiansburg, VA 24073
Phone: 1(800) 669-6799
Email: info@inorganicventures.com

Emergency Telephone Number

Chemtrec 1-800-424-9300 (North America)
Chemtrec +1 703-741-5970 (International)

2. HAZARDS IDENTIFICATION

GHS

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Respiratory sensitization	Category 1
Skin sensitization	Category 1
Carcinogenicity	Category 1A
Reproductive toxicity	Category 1A
Corrosive to metals	Category 1

Label Elements

Danger

Hazard statements

Causes skin irritation
Causes serious eye damage
May cause allergy or asthma symptoms or breathing difficulties if inhaled
May cause an allergic skin reaction
May cause cancer
May damage fertility or the unborn child
May be corrosive to metals

**Appearance** clear /PURPLE**Physical state** Liquid**Odor** Odorless**Precautionary Statements - Prevention**

Obtain special instructions before use
 Do not handle until all safety precautions have been read and understood
 Use personal protective equipment as required
 Wash face, hands and any exposed skin thoroughly after handling
 Avoid breathing dust/fume/gas/mist/vapors/spray
 In case of inadequate ventilation wear respiratory protection
 Contaminated work clothing should not be allowed out of the workplace
 Wear protective gloves
 Keep only in original container

Precautionary Statements - Response**Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 Immediately call a POISON CENTER or doctor/physician

Skin

IF ON SKIN: Wash with plenty of soap and water
 Take off contaminated clothing and wash before reuse
 If skin irritation or rash occurs: Get medical advice/attention

Inhalation

IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing
 If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

Spill

Absorb spillage to prevent material damage

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

- May be harmful if swallowed
- Toxic to aquatic life
- Harmful to aquatic life with long lasting effects

Other Information

1.3903 % of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%
Nitric acid	7697-37-2	3.5
Aluminum Nitrate, Nonahydrate	7784-27-2	1.3903
Boric acid (H3BO3)	10043-35-3	0.56364

Potassium nitrate	7757-79-1	0.25897
Lead nitrate	10099-74-8	0.1599
Thallium(I) nitrate	10102-45-1	0.13039
Zinc	7440-66-6	0.1
Silver	7440-22-4	0.1
Nickel	7440-02-0	0.1
Copper	7440-50-8	0.1
Cobalt	7440-48-4	0.1
Cadmium and compounds (as Cd)	7440-43-9	0.1

4. FIRST AID MEASURES

Description of first aid measures

General Advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.
Eye Contact	Immediate medical attention is required. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area.
Skin Contact	Immediate medical attention is required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Inhalation	Call a physician or poison control center immediately. Remove to fresh air. If breathing is difficult, give oxygen. If breathing is irregular or stopped, administer artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.
Ingestion	Immediate medical attention is required. Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person.
Self-protection of the first aider	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and Effects	Burn. Difficulty in breathing.
--	--------------------------------

Indication of any immediate medical attention and special treatment needed

Notes to Physician	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure
---------------------------	---

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Decomposition by contact with water may generate vapors which can be ignited by heat or open flame.

Special Exposure Hazards Arising from the Substance/Mixture

The product causes burns of eyes, skin and mucous membranes Thermal decomposition can lead to release of irritating gases and vapors

Explosion data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Use personal protective equipment as required. Do not get in eyes, on skin, or on clothing.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system. Prevent product from entering drains. See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Cleaning up Dam up. Neutralise with lime milk; soda. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. After cleaning, flush away traces with water.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Wear personal protective equipment. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not get in eyes, on skin, or on clothing. Do not breathe vapors or spray mist.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible Products None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Nitric acid 7697-37-2	TWA: 2 ppm STEL: 4 ppm	TWA: 2 ppm TWA: 5 mg/m ³ (vacated) TWA: 2 ppm (vacated) TWA: 5 mg/m ³ (vacated) STEL: 4 ppm (vacated) STEL: 10 mg/m ³	IDLH: 25 ppm TWA: 2 ppm TWA: 5 mg/m ³ STEL: 4 ppm STEL: 10 mg/m ³
Aluminum Nitrate, Nonahydrate 7784-27-2		(vacated) TWA: 2 mg/m ³	TWA: 2 mg/m ³
Boric acid (H3BO3) 10043-35-3	TWA: 2 mg/m ³ inhalable particulate matter STEL: 6 mg/m ³ inhalable particulate matter		
Lead nitrate 10099-74-8	TWA: 0.05 mg/m ³ Pb	TWA: 50 µg/m ³	IDLH: 100 mg/m ³ TWA: 0.050 mg/m ³
Thallium(I) nitrate	TWA: 0.02 mg/m ³ Tl inhalable	TWA: 0.1 mg/m ³	IDLH: 15 mg/m ³

10102-45-1	particulate matter pSk	Skin	TWA: 0.1 mg/m ³
Silver 7440-22-4	TWA: 0.1 mg/m ³ dust and fume	TWA: 0.01 mg/m ³ (vacated) TWA: 0.01 mg/m ³	IDLH: 10 mg/m ³ TWA: 0.01 mg/m ³ TWA: 0.9 µg/m ³
Nickel 7440-02-0	TWA: 1.5 mg/m ³ inhalable particulate matter	TWA: 1 mg/m ³ (vacated) TWA: 1 mg/m ³	IDLH: 10 mg/m ³ TWA: 0.015 mg/m ³
Copper 7440-50-8	TWA: 0.2 mg/m ³ fume	TWA: 0.1 mg/m ³ TWA: 1 mg/m ³ (vacated) TWA: 0.1 mg/m ³	IDLH: 100 mg/m ³ TWA: 1 mg/m ³ TWA: 0.1 mg/m ³
Cobalt 7440-48-4	TWA: 0.02 mg/m ³ inhalable particulate matter TWA: 0.02 mg/m ³ Co inhalable particulate matter DS RS	TWA: 0.1 mg/m ³ (vacated) TWA: 0.05 mg/m ³	IDLH: 20 mg/m ³ TWA: 0.05 mg/m ³
Cadmium and compounds (as Cd) 7440-43-9	TWA: 0.01 mg/m ³ TWA: 0.002 mg/m ³ respirable particulate matter	TWA: 5 µg/m ³ (vacated) STEL: 0.3 ppm Ceiling: 0.3 mg/m ³ Ceiling: 0.6 mg/m ³	IDLH: 9 mg/m ³

Appropriate engineering controls**Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Minimize exposure by partial enclosure of the operation or equipment and provide extract ventilation at openings.

Individual protection measures, such as personal protective equipment**Eye Protection**

Tightly fitting safety goggles Face-shield

Skin and Body Protection

Impervious clothing Boots Chemical resistant apron

Hand Protection

Impervious gloves

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state

Liquid

Appearance

clear /PURPLE

Odor

Odorless

pH - VALUE 1

No data available

Melting point / melting range

No data available

Initial boiling point and boiling range

100 °C / 212 °F

Literary reference**Vapor pressure @20 °C (kPa)**

No data available

Relative vapor density

No data available

Relative Density

No data available

Specific gravity - VALUE 1

No data available

Water solubility

Miscible

Literary reference**Partition coefficient: n-octanol/water**

No data available

Autoignition temperature

No data available

Decomposition temperature

No data available

Dynamic viscosity - VALUE 1

No data available

Explosive properties

No information available

Oxidizing Properties

No information available

VOC content

No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

None under normal processing.

Conditions to Avoid

None known.

Incompatible materials

Bases Cyanides

Hazardous decomposition products

Nitrogen oxides (NOx).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

The product causes burns of eyes, skin and mucous membranes

Inhalation

Causes burns. Corrosive to respiratory system. Inhaled corrosive substances can lead to a toxic edema of the lungs. Contact with moist mucous membranes of the respiratory system can cause caustic condition resulting in burns. Aspiration may cause pulmonary edema and pneumonitis. Silver in the form of a finely divided dust may cause discoloration in contact with skin, and argyrosis in case of inhalation.

Eye Contact

Causes burns. Silver in the form of a finely divided dust may cause discoloration in contact with skin, and argyrosis in case of inhalation.

Skin Contact

Causes burns. Silver in the form of a finely divided dust may cause discoloration in contact with skin, and argyrosis in case of inhalation.

Ingestion

Can burn mouth, throat, and stomach. Ingestion of soluble silver salts may cause argyria, characterized by permanent blue-gray pigmentation of the skin, mucous membranes, and eyes.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Nitric acid - 7697-37-2	-	-	= 2500 ppm (Rat) 1 h
Aluminum Nitrate, Nonahydrate - 7784-27-2	= 542.5 mg/kg (Rat)	-	-
Boric acid (H3BO3) - 10043-35-3	= 2660 mg/kg (Rat) = 3765 mg/kg (Rat)	> 2000 mg/kg (Rabbit) ≥ 2000 mg/kg (Rabbit)	> 2.12 mg/L (Rat) 4 h ≥ 2120 mg/m ³ (Rat) 4 h

Potassium nitrate - 7757-79-1	= 3015 mg/kg (Rat)	> 5000 mg/kg (Rat)	> 0.527 mg/L (Rat) 4 h
Lead nitrate - 10099-74-8	= 93 mg/kg (Rat)	-	-
Zinc - 7440-66-6	= 630 mg/kg (Rat)	-	-
Silver - 7440-22-4	> 2000 mg/kg (Rat)	> 2000 mg/kg (rat)	> 5.16 mg/L (Rat) 4 h
Nickel - 7440-02-0	> 9000 mg/kg (Rat)	-	> 10.2 mg/L (Rat) 1 h
Copper - 7440-50-8	-	-	> 5.11 mg/L (Rat) 4 h
Cobalt - 7440-48-4	= 6171 mg/kg (Rat)	-	< 0.05 mg/L (Rat) 4 h
Cadmium and compounds (as Cd) - 7440-43-9	= 1140 mg/kg (Rat)	-	= 25 mg/m ³ (Rat) 30 min

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Mutagenic Effects No information available.

Carcinogenic effects

Chemical name	ACGIH	IARC	NTP	OSHA
Nitric acid 7697-37-2		Group 1 - Carcinogenic to humans Group 2A - Probably carcinogenic to humans		Present
Aluminum Nitrate, Nonahydrate 7784-27-2		Group 2A - Probably carcinogenic to humans		Present
Boric acid (H ₃ BO ₃) 10043-35-3	A4 - Not Classifiable as a Human Carcinogen	Group 2A - Probably carcinogenic to humans		Present
Potassium nitrate 7757-79-1		Group 2A - Probably carcinogenic to humans		Present
Lead nitrate 10099-74-8	A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans	Group 2A - Probably carcinogenic to humans	Reasonably Anticipated To Be A Human Carcinogen	Present
Thallium(I) nitrate 10102-45-1		Group 2A - Probably carcinogenic to humans		Present
Nickel 7440-02-0	A5 - Not Suspected as a Human Carcinogen	Group 2B - Possibly carcinogenic to humans	Reasonably Anticipated To Be A Human Carcinogen	Present
Cobalt 7440-48-4	A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans	Group 2A - Probably carcinogenic to humans	Reasonably Anticipated To Be A Human Carcinogen	Present
Cadmium and compounds (as Cd) 7440-43-9	A2 - Suspected Human Carcinogen	Group 1 - Carcinogenic to humans	Known Human Carcinogen	Present

Reproductive Toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure May cause disorder and damage to the. heart. liver. kidney. blood. Central nervous system. Nervous system. lungs. Respiratory system.

Target organ effects Skin, Eyes, Respiratory system.

Aspiration hazard No information available.

Numerical measures of toxicity - Product Information

Unknown acute toxicity 1.3903 % of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 3498 mg/kg

ATEmix (inhalation-dust/mist) 8.6 mg/L
 ATEmix (inhalation-vapor) 92 mg/L

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects

Contains 0 % of components with unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Boric acid (H3BO3) 10043-35-3				EC50: 115 - 153mg/L (48h, Daphnia magna)
Zinc 7440-66-6	EC50: 0.11 - 0.271mg/L (96h, Pseudokirchneriella subcapitata) EC50: 0.09 - 0.125mg/L (72h, Pseudokirchneriella subcapitata)	LC50: 2.16 - 3.05mg/L (96h, Pimephales promelas) LC50: 0.211 - 0.269mg/L (96h, Pimephales promelas) LC50: =2.66mg/L (96h, Pimephales promelas) LC50: =30mg/L (96h, Cyprinus carpio) LC50: =0.45mg/L (96h, Cyprinus carpio) LC50: =7.8mg/L (96h, Cyprinus carpio) LC50: =3.5mg/L (96h, Lepomis macrochirus) LC50: =0.24mg/L (96h, Oncorhynchus mykiss) LC50: =0.59mg/L (96h, Oncorhynchus mykiss) LC50: =0.41mg/L (96h, Oncorhynchus mykiss)		EC50: 0.139 - 0.908mg/L (48h, Daphnia magna)
Silver 7440-22-4		LC50: 0.00155 - 0.00293mg/L (96h, Pimephales promelas) LC50: =0.0062mg/L (96h, Oncorhynchus mykiss) LC50: =0.064mg/L (96h, Lepomis macrochirus)		EC50: =0.00024mg/L (48h, Daphnia magna)
Nickel 7440-02-0	EC50: =0.18mg/L (72h, Pseudokirchneriella subcapitata) EC50: 0.174 - 0.311mg/L (96h, Pseudokirchneriella subcapitata)	LC50: >100mg/L (96h, Brachydanio rerio) LC50: =1.3mg/L (96h, Cyprinus carpio) LC50: =10.4mg/L (96h, Cyprinus carpio)		EC50: >100mg/L (48h, Daphnia magna) EC50: =1mg/L (48h, Daphnia magna)
Copper 7440-50-8	EC50: 0.0426 - 0.0535mg/L (72h, Pseudokirchneriella subcapitata) EC50: 0.031 - 0.054mg/L (96h, Pseudokirchneriella subcapitata)	LC50: 0.0068 - 0.0156mg/L (96h, Pimephales promelas) LC50: <0.3mg/L (96h, Pimephales promelas) LC50: =0.2mg/L (96h, Pimephales promelas) LC50: =0.052mg/L (96h, Oncorhynchus mykiss) LC50: =1.25mg/L (96h, Lepomis macrochirus) LC50: =0.3mg/L (96h, Cyprinus carpio) LC50: =0.8mg/L (96h, Cyprinus carpio) LC50: =0.112mg/L (96h, Poecilia reticulata)		EC50: =0.03mg/L (48h, Daphnia magna)
Cobalt 7440-48-4		LC50: >100mg/L (96h, Brachydanio rerio)		
Cadmium and compounds (as Cd) 7440-43-9		LC50: =0.003mg/L (96h, Oncorhynchus mykiss) LC50: =0.006mg/L (96h,		EC50: =0.0244mg/L (48h, Daphnia magna)

		Oncorhynchus mykiss) LC50: =0.002mg/L (96h, Cyprinus carpio) LC50: =4.26mg/L (96h, Cyprinus carpio) LC50: =0.24mg/L (96h, Cyprinus carpio) LC50: =21.1mg/L (96h, Lepomis macrochirus) LC50: =0.016mg/L (96h, Oryzias latipes) LC50: 0.0004 - 0.003mg/L (96h, Pimephales promelas)		
--	--	---	--	--

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Chemical name	Partition coefficient
Nitric acid 7697-37-2	-2.3
Boric acid (H3BO3) 10043-35-3	-1.09

13. DISPOSAL CONSIDERATIONS**Waste treatment methods**

Waste from Residues/Unused Products	Dispose of in accordance with federal, state and local regulations
Contaminated Packaging	Do not reuse empty containers.

Chemical name	California Hazardous Waste Status
Nitric acid 7697-37-2	Toxic Corrosive Ignitable
Boric acid (H3BO3) 10043-35-3	Toxic
Potassium nitrate 7757-79-1	Ignitable Reactive
Lead nitrate 10099-74-8	Toxic Ignitable
Thallium(I) nitrate 10102-45-1	Toxic
Zinc 7440-66-6	Ignitable Toxic
Silver 7440-22-4	Toxic
Nickel 7440-02-0	Toxic Ignitable
Copper 7440-50-8	Toxic
Cobalt 7440-48-4	Toxic Ignitable
Cadmium and compounds (as Cd) 7440-43-9	Toxic Ignitable

14. TRANSPORT INFORMATION

IMDG

14.1. UN-No	UN3264
14.2. Proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s
14.3. Transport hazard class(es)	8
14.4. Packing Group	III
Description	Not applicable
14.5. Marine Pollutant	None
14.6. Special Provisions	None
No information available in bulk according to Annex II of MARPOL 73/78 and the IBC Code	No information available

RID

14.1. UN-No	UN3264
14.2. Proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s
14.3. Transport hazard class(es)	8
14.4. Packing Group	III
Description	Not applicable
14.5. Environmental hazard	None
14.6. Special Provisions	None

ADR

14.1. UN-No	UN3264
14.2. Proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s
14.3. Transport hazard class(es)	8
14.4. Packing Group	III
Description	Not applicable
14.5. Environmental hazard	None
14.6. Special Provisions	None

ICAO

14.1. UN-No	UN3264
14.2. Proper Shipping Name	Corrosive liquid, acidic, inorganic, n.o.s
14.3. Hazard Class	8
14.4. Packing Group	III
Description	Not applicable
14.5. Environmental hazard	None
14.6. Special Provisions	None

IATA-DGR

14.1. UN-No	UN3264
14.2. Proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s
14.3. Transport hazard class(es)	8
14.4. Packing Group	III
Description	Not applicable
14.5. Environmental hazard	None
14.6. Special Provisions	None

15. REGULATORY INFORMATION

International Inventories

TSCA	Complies
DSL/NDL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies

PICCS Complies
 AIIC Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	CAS No.	Weight-%	SARA 313 - Threshold Values %
Nitric acid - 7697-37-2	7697-37-2	3.5	1.0
Potassium nitrate - 7757-79-1	7757-79-1	0.25897	1.0
Lead nitrate - 10099-74-8	10099-74-8	0.1599	0.1 1.0
Thallium(I) nitrate - 10102-45-1	10102-45-1	0.13039	1.0
Zinc - 7440-66-6	7440-66-6	0.1	1.0
Silver - 7440-22-4	7440-22-4	0.1	1.0
Nickel - 7440-02-0	7440-02-0	0.1	0.1
Copper - 7440-50-8	7440-50-8	0.1	1.0
Cobalt - 7440-48-4	7440-48-4	0.1	0.1
Cadmium and compounds (as Cd) - 7440-43-9	7440-43-9	0.1	0.1

SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	Not classified
Fire hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Nitric acid 7697-37-2	1000 lb			X
Lead nitrate 10099-74-8	10 lb	X		X
Thallium(I) nitrate 10102-45-1		X		
Zinc 7440-66-6		X	X	
Silver 7440-22-4		X	X	
Nickel 7440-02-0		X	X	
Copper 7440-50-8		X	X	
Cadmium and compounds (as Cd) 7440-43-9		X	X	

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive

Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Nitric acid 7697-37-2	1000 lb	1000 lb	RQ 1000 lb final RQ RQ 454 kg final RQ
Lead nitrate 10099-74-8	10 lb		RQ 10 lb final RQ RQ 4.54 kg final RQ
Thallium(I) nitrate 10102-45-1	100 lb		RQ 100 lb final RQ RQ 45.4 kg final RQ
Zinc 7440-66-6	1000 lb		RQ 454 kg final RQ RQ 1000 lb final RQ
Silver 7440-22-4	1000 lb 1 lb		RQ 1000 lb final RQ RQ 454 kg final RQ RQ 1 lb final RQ RQ 0.454 kg final RQ
Nickel 7440-02-0	100 lb		RQ 100 lb final RQ RQ 45.4 kg final RQ
Copper 7440-50-8	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ
Cadmium and compounds (as Cd) 7440-43-9	10 lb		RQ 10 lb final RQ RQ 4.54 kg final RQ

U.S. State Regulations**California Proposition 65**

This product contains the following Proposition 65 chemicals:

Chemical name	California Proposition 65
Lithium carbonate - 554-13-2	Developmental
Lead nitrate - 10099-74-8	Carcinogen
Nickel - 7440-02-0	Carcinogen
Cadmium and compounds (as Cd) - 7440-43-9	Carcinogen Developmental Male Reproductive
Cobalt - 7440-48-4	Carcinogen

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Nitric acid 7697-37-2	X	X	X
Aluminum Nitrate, Nonahydrate 7784-27-2	X		X
Boric acid (H3BO3) 10043-35-3	X		
Potassium nitrate 7757-79-1	X	X	X
Lead nitrate 10099-74-8	X	X	X
Thallium(I) nitrate 10102-45-1	X	X	X
Zinc 7440-66-6	X	X	X
Silver 7440-22-4	X	X	X
Nickel 7440-02-0	X	X	X
Copper 7440-50-8	X	X	X
Cobalt 7440-48-4	X	X	X
Cadmium and compounds (as Cd) 7440-43-9	X	X	X

U.S. EPA Label Information

Difference between SDS and EPA Pesticide label

16. OTHER INFORMATION

Revision date 30-Apr-2026

Revision Note

No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of SDS