

# SAFETY DATA SHEET

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Product Name** IV-STOCK-6

**Synonyms** 1000 µg/mL: Ca; 100 µg/mL: As, B, Be, Fe, Se, Zn; 10 µg/mL: Ag, Al, Ba, Bi, Cd, Co, Cr, Cu, Ga, K, Li, Mg, Mn, Mo, Na, Ni, Pb, Rb, Sr, Te, Tl, U, V

Contains Nitric acid; Beryllium di(acetate)

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended use** Laboratory chemicals

**Uses advised against** No information available

### 1.3. Details of the supplier of the safety data sheet

**Company**

Inorganic Ventures  
300 Technology Drive  
Christiansburg, VA 24073  
Phone: 1(800) 669-6799  
Email: info@inorganicventures.com

### 1.4. Emergency telephone number

Chemtrec 1-800-424-9300 (North America)

Chemtrec +1 703-741-5970 (International)

|        |           |
|--------|-----------|
| Europe | See above |
|--------|-----------|

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

*Classification according to  
Regulation (EC) No. 1272/2008 [CLP]*

#### GHS

|                                   |                       |
|-----------------------------------|-----------------------|
| Skin corrosion/irritation         | Category 2 - (H315)   |
| Serious eye damage/eye irritation | Category 1 - (H318)   |
| Carcinogenicity                   | Category 1A - (H350i) |
| Corrosive to metals               | Category 1 - (H290)   |

### 2.2. Label elements

**Product identifier**

Contains Nitric acid; Beryllium di(acetate)

**Signal word**

Danger

**Hazard statements**

H290 - May be corrosive to metals

H315 - Causes skin irritation

H318 - Causes serious eye damage

H350i - May cause cancer by inhalation

EUH071 - Corrosive to the respiratory tract

**Precautionary statements**

P201 - Obtain special instructions before use

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves, protective clothing, eye protection and face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

**2.3. Other hazards**

Other hazards

Toxic to aquatic life

No information available

## SECTION 3: Composition/information on ingredients

**3.1 Substances**

| Chemical name         | EC No. (Index No.)                                              | CAS No.   | Weight-% | Classification according to Regulation (EC) No. 1272/2008 [CLP]                                                                                                                                          | REACH registration number |
|-----------------------|-----------------------------------------------------------------|-----------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|
| Nitric acid           | 231-714-2<br>(007-004-00-1)<br>(007-030-00-3)<br>(078-012-00-0) | 7697-37-2 | 3.5      | (EUH071)<br>Skin Corr. 1A (H314)<br>Ox. Liq. 3 (H272)<br>Acute Tox. 3 (H331)                                                                                                                             | No data available         |
| Calcium Carbonate     | 207-439-9                                                       | 471-34-1  | 0.249    | No data available                                                                                                                                                                                        | No data available         |
| Beryllium di(acetate) | 208-850-6<br>(004-002-00-2)                                     | 543-81-7  | 0.11278  | Acute Tox. 3 (H301)<br>Skin Irrit. 2 (H315)<br>Skin Sens. 1 (H317)<br>Eye Irrit. 2 (H319)<br>Acute Tox. 2 (H330)<br>STOT SE 3 (H335)<br>Carc. 1B (H350i)<br>STOT RE 1 (H372)<br>Aquatic Chronic 2 (H411) | No data available         |

**Full text of H- and EUH-phrases: see section 16**

## SECTION 4: First aid measures

**4.1. Description of first aid measures**

|                                           |                                                                                                                                                                                                                                                                                |
|-------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>General Advice</b>                     | Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.                                                                                                                                                                              |
| <b>Inhalation</b>                         | Call a physician or poison control center immediately. Remove to fresh air. If breathing is difficult, give oxygen. If breathing is irregular or stopped, administer artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. |
| <b>Skin Contact</b>                       | Immediate medical attention is required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.                                                                                                                                 |
| <b>Eye Contact</b>                        | Immediate medical attention is required. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area.                                  |
| <b>Ingestion</b>                          | Immediate medical attention is required. Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person.                                                                                           |
| <b>Self-protection of the first aider</b> | Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.                                                                                                                                                                                      |

**4.2. Most important symptoms and effects, both acute and delayed**

|                                            |                                |
|--------------------------------------------|--------------------------------|
| <b>Most Important Symptoms and Effects</b> | Burn. Difficulty in breathing. |
|--------------------------------------------|--------------------------------|

**4.3. Indication of any immediate medical attention and special treatment needed**

|                           |                                                                                                                                                                                                                                                                                                                                       |
|---------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Notes to Physician</b> | Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure |
|---------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable Extinguishing Media**

No information available

**5.2. Special hazards arising from the substance or mixture**

Thermal decomposition can lead to release of irritating gases and vapors

**5.3. Advice for firefighters**

Wear self-contained breathing apparatus and protective suit. Use personal protection equipment.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****Personal Precautions**

Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Use personal protective equipment as required. Do not get in eyes, on skin, or on clothing.

**Advice for emergency responders**

Ensure adequate ventilation.

**6.2. Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system. Prevent product from entering drains. See Section 12 for additional Ecological Information.

**6.3. Methods and material for containment and cleaning up**

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for Cleaning Up** Take up mechanically, placing in appropriate containers for disposal.

**6.4. Reference to other sections**

See Section 12: ECOLOGICAL INFORMATION.

## SECTION 7: Handling and storage

**7.1. Precautions for safe handling****Advice on safe handling**

Ensure adequate ventilation.

**Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended.

**7.2. Conditions for safe storage, including any incompatibilities****Storage Conditions**

Keep container tightly closed in a dry and well-ventilated place.

**7.3. Specific end use(s)**

## SECTION 8: Exposure controls/personal protection

**8.1. Control parameters****Exposure Limits**

| Chemical name                 | European Union<br>(Directives 98/24/EC<br>and 2004/37/EC) | United Kingdom                                                                                                                                                                                      | France (INRS ED<br>6443)                                                              | Spain (Occupational<br>exposure limits for<br>chemical agents in<br>Spain, 2025) | Germany (DFG) |
|-------------------------------|-----------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|---------------|
| Nitric acid<br>7697-37-2      | STEL: 1 ppm;<br>STEL: 2.6 mg/m <sup>3</sup> ;             | STEL: 1 ppm;<br>STEL: 2.6 mg/m <sup>3</sup> ;                                                                                                                                                       | STEL-VLCT (indicatif):<br>1 ppm;<br>STEL-VLCT (indicatif):<br>2.6 mg/m <sup>3</sup> ; | STEL (VLA-EC): 1<br>ppm;<br>STEL (VLA-EC): 2.6<br>mg/m <sup>3</sup> ;            |               |
| Calcium Carbonate<br>471-34-1 |                                                           | TWA: 10 mg/m <sup>3</sup> ;<br>inhalable dust<br>TWA: 4 mg/m <sup>3</sup> ;<br>respirable dust<br>STEL: 30 mg/m <sup>3</sup> ;<br>inhalable dust<br>STEL: 12 mg/m <sup>3</sup> ;<br>respirable dust | TWA-VME: 10 mg/m <sup>3</sup> ;                                                       |                                                                                  |               |

|                                   |                                                                                        |                                                                                                                                               |                                                                                           |                                                                      |                                                                                                                |                                                                                                                                                  |
|-----------------------------------|----------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|----------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| Beryllium di(acetate)<br>543-81-7 |                                                                                        | TWA: 0.002 mg/m³;<br>STEL: 0.006 mg/m³;                                                                                                       | TWA-VME (restrictif):<br>0.0006 mg/m³; inhalabl<br>e fraction                             | TWA-(VLA-ED): 0.0002<br>mg/m³;<br>S                                  |                                                                                                                |                                                                                                                                                  |
| Chemical name                     | Italy (Legislative<br>Decree no. 81)                                                   | Portugal (NP<br>1796:2014)                                                                                                                    | Netherlands (Working<br>Conditions<br>Regulations)                                        | Finland (HTP-ARVOT<br>2025)                                          | Denmark (BEK no.<br>1619 of 19/12/2024)                                                                        |                                                                                                                                                  |
| Nitric acid<br>7697-37-2          | STEL: 1 ppm;<br>STEL: 2.6 mg/m³;                                                       | TWA (VLE-MP): 2 ppm;<br>STEL (VLE-CD): 1<br>ppm;<br>STEL (VLE-CD): 2.6<br>mg/m³;                                                              | STEL: 0.5 ppm;<br>STEL: 1.3 mg/m³;                                                        | TWA: 0.5 ppm;<br>TWA: 1.3 mg/m³;<br>STEL: 1 ppm;<br>STEL: 2.6 mg/m³; | STEL: 1 ppm;<br>STEL: 2.6 mg/m³;                                                                               |                                                                                                                                                  |
| Beryllium di(acetate)<br>543-81-7 |                                                                                        | STEL (VLE-CD): 0.01<br>mg/m³;<br>pSk                                                                                                          | Sk                                                                                        |                                                                      | TWA: 0.00002 mg/m³;<br>STEL: 0.00004 mg/m³;                                                                    |                                                                                                                                                  |
| Chemical name                     | Sweden                                                                                 | Austria (GKV<br>BGBl. II Nr.<br>330/2024)                                                                                                     | Switzerland (MAK<br>Values)                                                               | Poland<br>(Legislative<br>Journal 2018 item<br>1286)                 | Norway<br>(FOR-2011-12-06-<br>1358)                                                                            | Ireland (CoP 2024)                                                                                                                               |
| Nitric acid<br>7697-37-2          | LLV: 0.5 ppm<br>LLV: 1.3 mg/m³<br>Binding STLV: 1<br>ppm<br>Binding STLV: 2.6<br>mg/m³ | TWA-TMW: 1 ppm;<br>TWA-TMW:<br>2.6 mg/m³;<br>STEL-KZGW: 1<br>ppm ();<br>STEL-KZGW: 2.6<br>mg/m³ ();<br>Ceiling: 1 ppm;<br>Ceiling: 2.6 mg/m³; | TWA-MAK: 2 ppm;<br>TWA-MAK: 5<br>mg/m³;<br>STEL-KZGW: 2<br>ppm;<br>STEL-KZGW: 5<br>mg/m³; | TWA-NDS: 1.4<br>mg/m³;<br>STEL-NDSch: 2.6<br>mg/m³;                  | TWA: 2 ppm;<br>TWA: 5 mg/m³;<br>STEL: 4 ppm (value<br>calculated);<br>STEL: 10<br>mg/m³ (value<br>calculated); | STEL: 1 ppm;<br>STEL: 2.6 mg/m³;                                                                                                                 |
| Calcium Carbonate<br>471-34-1     |                                                                                        |                                                                                                                                               | TWA-MAK: 3<br>mg/m³; respirable<br>dust<br>TWA-MAK: 10<br>mg/m³; inhalable<br>dust        | TWA-NDS: 10<br>mg/m³; inhalable<br>fraction                          |                                                                                                                | TWA: 10 mg/m³;<br>respirable dust<br>TWA: 4 mg/m³;<br>STEL: 30<br>mg/m³ (calculated);<br>STEL: 12<br>mg/m³ (calculated);<br>total inhalable dust |
| Beryllium di(acetate)<br>543-81-7 |                                                                                        | DS                                                                                                                                            | TWA-MAK: 0.0006<br>mg/m³; inhalable<br>dust<br>S                                          |                                                                      |                                                                                                                | TWA: 0.0002<br>mg/m³;<br>STEL: 0.0006<br>mg/m³ (calculated);                                                                                     |

**Derived No Effect Level (DNEL)** No information available

**Predicted No Effect Concentration (PNEC)**

## 8.2. Exposure controls

### Engineering Measures

Ensure adequate ventilation, especially in confined areas.

### Personal protective equipment

#### Eye/Face Protection

Wear safety glasses with side shields (or goggles).

#### Hand Protection

Impervious gloves.

#### Skin and Body Protection

Impervious clothing. Boots. Chemical resistant apron.

#### Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.

**Environmental Exposure Controls** Prevent product from entering drains.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                                         |                          |
|-----------------------------------------|--------------------------|
| Physical state                          | Liquid                   |
| Appearance                              | clear /colorless         |
| Odor                                    | Odorless                 |
| pH - VALUE 1                            | No data available        |
| Melting Point/Range                     | No data available        |
| Initial boiling point and boiling range | 100 °C / 212 °F          |
| Literary reference                      |                          |
| Vapor pressure @20 °C (kPa)             | No data available        |
| Relative vapor density                  | No data available        |
| Relative density                        | No data available        |
| Specific gravity - VALUE 1              | No data available        |
| Water solubility                        | Miscible                 |
| Literary reference                      |                          |
| Partition coefficient                   | No data available        |
| Autoignition temperature                | No data available        |
| Decomposition temperature               | No data available        |
| Dynamic viscosity - VALUE 1             | No data available        |
| Explosive properties                    | No information available |
| Oxidizing Properties                    | No information available |
| VOC content                             | No information available |

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

Stable under normal conditions.

#### Explosion data

Sensitivity to Mechanical Impact    None.

Sensitivity to Static Discharge        None.

### 10.3. Possibility of hazardous reactions

#### **Hazardous polymerization**

None under normal processing.

#### **Hazardous Reactions**

None under normal processing.

### 10.4. Conditions to avoid

None known.

### 10.5. Incompatible materials

Bases Cyanides

### 10.6. Hazardous decomposition products

Nitrogen oxides (NOx).

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Acute Toxicity

##### Product Information

The product causes burns of eyes, skin and mucous membranes.

##### Inhalation

Causes burns. Corrosive to respiratory system. Inhaled corrosive substances can lead to a toxic edema of the lungs. Contact with moist mucous membranes of the respiratory system can cause caustic condition resulting in burns. Aspiration may cause pulmonary edema and pneumonitis.

##### Eye Contact

Causes burns.

##### Skin Contact

Causes burns.

##### Ingestion

Can burn mouth, throat, and stomach.

The following ATE values have been calculated for the mixture

ATEmix (oral) 88,668.20 mg/kg

ATEmix (dermal) 99,999.00

ATEmix (inhalation-gas) 99,999.00

ATEmix (inhalation-dust/mist) 44.40 mg/l

ATEmix (inhalation-vapor) 75.70 mg/l

##### Unknown acute toxicity

2E-05 % of the mixture consists of ingredient(s) of unknown acute toxicity.

2E-05 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.

2E-05 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

2E-05 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).

2E-05 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).

2E-05 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

##### Component Information

**Skin corrosion/irritation** No information available.

**Serious eye damage/eye irritation** No information available.

**Sensitization** No information available.

**Mutagenic Effects** No information available.

##### **Carcinogenic effects**

| Chemical name         | European Union |
|-----------------------|----------------|
| Beryllium di(acetate) | Carc. 1B       |

**Reproductive Toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Target organ effects** Skin, Eyes, Respiratory system.

**Aspiration hazard** No information available.

## SECTION 12: Ecological information

### 12.1. Toxicity

Contains 2E-05 % of components with unknown hazards to the aquatic environment

### 12.2. Persistence and degradability

No information available.

### 12.3. Bioaccumulative potential

No information available.

| Chemical name | Partition coefficient |
|---------------|-----------------------|
| Nitric acid   | -2.3                  |

### 12.4. Mobility in soil

#### Mobility in soil

No information available.

### 12.5. Results of PBT and vPvB assessment

No information available.

| Chemical name     | PBT and vPvB assessment |
|-------------------|-------------------------|
| Nitric acid       | Not PBT/vPvB            |
| Calcium Carbonate | Not PBT/vPvB            |

### 12.6. Other adverse effects

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Waste from Residues/Unused Products

Dispose of in accordance with federal, state and local regulations.

#### Contaminated Packaging

Do not reuse empty containers.

#### Other information

Waste codes should be assigned by the user based on the application for which the product was used.

## SECTION 14: Transport information

### IMDG

|                                  |                                            |
|----------------------------------|--------------------------------------------|
| 14.1. UN-No                      | UN3264                                     |
| 14.2. Proper shipping name       | Corrosive liquid, acidic, inorganic, n.o.s |
| 14.3. Transport hazard class(es) | 8                                          |
| 14.4. Packing group              | III                                        |
| Description                      | Not applicable                             |
| 14.5. Marine Pollutant           | None                                       |
| 14.6. Special Provisions         | None                                       |

No information available Transport No information available  
in bulk according to Annex II of  
MARPOL 73/78 and the IBC Code

**RID**

|                                  |                                            |
|----------------------------------|--------------------------------------------|
| 14.1. UN-No                      | UN3264                                     |
| 14.2. Proper shipping name       | Corrosive liquid, acidic, inorganic, n.o.s |
| 14.3. Transport hazard class(es) | 8                                          |
| 14.4. Packing group              | III                                        |
| Description                      | Not applicable                             |
| 14.5. Environmental hazards      | None                                       |
| 14.6. Special Provisions         | None                                       |

**ADR**

|                                  |                                            |
|----------------------------------|--------------------------------------------|
| 14.1. UN-No                      | UN3264                                     |
| 14.2. Proper shipping name       | Corrosive liquid, acidic, inorganic, n.o.s |
| 14.3. Transport hazard class(es) | 8                                          |
| 14.4. Packing group              | III                                        |
| Description                      | Not applicable                             |
| 14.5. Environmental hazards      | None                                       |
| 14.6. Special Provisions         | None                                       |

**ICAO**

|                             |                                            |
|-----------------------------|--------------------------------------------|
| 14.1. UN-No                 | UN3264                                     |
| 14.2. Proper Shipping Name  | Corrosive liquid, acidic, inorganic, n.o.s |
| 14.3. Hazard Class          | 8                                          |
| 14.4. Packing Group         | III                                        |
| Description                 | Not applicable                             |
| 14.5. Environmental hazards | None                                       |
| 14.6. Special Provisions    | None                                       |

**IATA-DGR**

|                                  |                                            |
|----------------------------------|--------------------------------------------|
| 14.1. UN-No                      | UN3264                                     |
| 14.2. Proper shipping name       | Corrosive liquid, acidic, inorganic, n.o.s |
| 14.3. Transport hazard class(es) | 8                                          |
| 14.4. Packing group              | III                                        |
| Description                      | Not applicable                             |
| 14.5. Environmental hazards      | None                                       |
| 14.6. Special Provisions         | None                                       |

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

#### International Inventories

All of the components in the product are on the following Inventory lists: U.S.A. (TSCA), Europe (EINECS/ELINCS/NLP), Canada (DSL/NDL), Philippines (PICCS), Japan (ENCS), China (IECSC), Australia (AICS), Korea (ECL).

|               |          |
|---------------|----------|
| TSCA          | Complies |
| EINECS/ELINCS | Complies |
| DSL/NDL       | Complies |
| PICCS         | Complies |

|       |          |
|-------|----------|
| ENCS  | Complies |
| IECSC | Complies |
| AIIC  | Complies |
| KECL  | Complies |

**Legend**

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances

**15.2. Chemical safety assessment**

No information available

**SECTION 16: Other information****Full text of R-phrases referred to under sections 2 and 3**

No information available

**Full text of any hazard and/or precautionary statements referred to under Sections 2-15**

EUH071 - Corrosive to the respiratory tract  
H272 - May intensify fire; oxidizer  
H301 - Toxic if swallowed  
H314 - Causes severe skin burns and eye damage  
H315 - Causes skin irritation  
H317 - May cause an allergic skin reaction  
H319 - Causes serious eye irritation  
H330 - Fatal if inhaled  
H331 - Toxic if inhaled  
H335 - May cause respiratory irritation  
H350i - May cause cancer by inhalation  
H372 - Causes damage to organs through prolonged or repeated exposure  
H411 - Toxic to aquatic life with long lasting effects

**Revision date** 28-Sep-2026

**Reason for Revision** Not applicable.

**This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006**

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet