

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name WW-IPC-1

Product Description 1000 µg/mL: K, P; 200 µg/mL: Al, As, B, Ba, Be, Ca, Cd, Ce, Co, Cr, Cu, Fe, Hg, Li, Mg, Mn, Na, Ni, Pb, Se, Sr, Tl, V, Zn; 25 µg/mL: Ag
 Contains Beryllium di(acetate); Boric acid (H₃BO₃)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Company

Inorganic Ventures
 300 Technology Drive
 Christiansburg, VA 24073
 Phone: 1(800) 669-6799
 Email: info@inorganicventures.com

1.4. Emergency telephone number

Chemtrec 1-800-424-9300 (North America)

Chemtrec +1 703-741-5970 (International)

Europe	See above
--------	-----------

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

*Classification according to
 Regulation (EC) No. 1272/2008 [CLP]*

GHS

Carcinogenicity	Category 1A - (H350)
Reproductive toxicity	Category 1B - (H360FD)
Corrosive to metals	Category 1 - (H290)

2.2. Label elements

Product identifier

Contains Beryllium di(acetate); Boric acid (H₃BO₃)



Signal word

Danger

Hazard statements

H290 - May be corrosive to metals

H317 - May cause an allergic skin reaction

H350 - May cause cancer

H360 - May damage fertility or the unborn child

Precautionary Statements - EU (§28, 1272/2008)

P202 - Do not handle until all safety precautions have been read and understood

P234 - Keep only in original container

P308 + P313 - IF exposed or concerned: Get medical advice/attention

2.3. Other hazards

Other hazards

Causes mild skin irritation

No information available

SECTION 3: Composition/information on ingredients**3.1 Substances**

Chemical name	EC No. (Index No.)	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number
Beryllium di(acetate)	208-850-6 (004-002-00-2)	543-81-7	0.22556	Acute Tox. 3 (H301) Skin Irrit. 2 (H315) Skin Sens. 1 (H317) Eye Irrit. 2 (H319) Acute Tox. 2 (H330) STOT SE 3 (H335) Carc. 1B (H350i) STOT RE 1 (H372) Aquatic Chronic 2 (H411)	No data available
Boric acid (H3BO3)	233-139-2 (005-007-00-2)	10043-35-3	0.11273	Repr. 1B (H360FD)	No data available
Copper	231-159-6 (029-026-00-0)	7440-50-8	0.02	Aquatic Chronic 2 (H411)	No data available

Full text of H- and EUH-phrases: see section 16**SECTION 4: First aid measures****4.1. Description of first aid measures****General Advice**

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

Inhalation

Call a physician or poison control center immediately. Remove to fresh air. If breathing is difficult, give oxygen. If breathing is irregular or stopped, administer artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

Skin Contact

Immediate medical attention is required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.

Eye Contact

Immediate medical attention is required. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area.

Ingestion

Immediate medical attention is required. Do NOT induce vomiting. Clean mouth with water

and drink afterwards plenty of water. Never give anything by mouth to an unconscious person.

Self-protection of the first aider Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

4.2. Most important symptoms and effects, both acute and delayed

Most Important Symptoms and Effects Burn. Difficulty in breathing.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

No information available

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions

Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Use personal protective equipment as required. Do not get in eyes, on skin, or on clothing.

Advice for emergency responders

Ensure adequate ventilation.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system. Prevent product from entering drains. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Take up mechanically, placing in appropriate containers for disposal.

6.4. Reference to other sections

See Section 12: ECOLOGICAL INFORMATION.

SECTION 7: Handling and storage

7.1. Precautions for safe handling**Advice on safe handling**

Ensure adequate ventilation.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended.

7.2. Conditions for safe storage, including any incompatibilities**Storage Conditions**

Keep container tightly closed in a dry and well-ventilated place.

7.3. Specific end use(s)**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Exposure Limits**

Chemical name	European Union		United Kingdom		France	Spain		Germany DFG	
Beryllium di(acetate) 543-81-7			TWA: 0.002 mg/m³; STEL: 0.006 mg/m³;		TWA-VME (restrictif): 0.0006 mg/m³; inhalabl e fraction	TWA-(VLA-ED): 0.0002 mg/m³; S			
Boric acid (H3BO3) 10043-35-3						TWA-(VLA-ED): 2 mg/m³; STEL (VLA-EC): 6 mg/m³;		TWA-MAK: 10 mg/m³; I(1); inhalable fraction	
Copper 7440-50-8			TWA: 1 mg/m³; dust and mist TWA: 0.2 mg/m³; fume STEL: 0.6 mg/m³; fume STEL: 2 mg/m³; dust and mist		TWA-VME: 0.2 mg/m³; fume TWA-VME: 1 mg/m³; dust STEL-VLCT: 2 mg/m³; dust	TWA-(VLA-ED): 0.01 mg/m³; respirable fraction		TWA-MAK: 0.01 mg/m ³; II(2); respirable fraction	
Chemical name	Italy MDLPS		Portugal		Netherlands		Finland		Denmark
Beryllium di(acetate) 543-81-7			STEL (VLE-CD): 0.01 mg/m³; pSk		Sk				TWA: 0.00002 mg/m³; STEL: 0.00004 mg/m³;
Boric acid (H3BO3) 10043-35-3			TWA (VLE-MP): 2 mg/m³; inhalable fraction STEL (VLE-CD): 6 mg/m³; inhalable fraction						
Copper 7440-50-8			TWA (VLE-MP): 0.2 mg/m³; fume TWA (VLE-MP): 1 mg/m³; dust; mist		TWA: 0.1 mg/m³; inhalable		TWA: 0.02 mg/m³; respirable dust		TWA: 1.0 mg/m³; dust and powder TWA: 0.1 mg/m³; fume STEL: 2 mg/m³; dust and powder STEL: 0.2 mg/m³; fume
Chemical name	Sweden		Austria	Switzerland	Poland		Norway		Ireland
Beryllium di(acetate) 543-81-7			DS	TWA-MAK: 0.0006 mg/m³; inhalable dust S					TWA: 0.0002 mg/m³; STEL: 0.0006 mg/m³ (calculated);
Boric acid (H3BO3) 10043-35-3				TWA-MAK: 1.8 mg/m³; inhalable dust STEL-KZGW: 1.8 mg/m³; inhalable dust					TWA: 2 mg/m³; STEL: 6 mg/m³ (calculated);
Copper 7440-50-8	LLV: 1 mg/m³ LLV: 0.2 mg/m³		TWA-TMW: 1 mg/m³; inhalable fraction TWA-TMW:	TWA-MAK: 0.1 mg/m³; inhalable dust STEL-KZGW: 0.2	TWA-NDS: 0.2 mg/m³;		TWA: 0.1 mg/m³; fume TWA: 1 mg/m³; dust STEL:	3	TWA: 0.2 mg/m³; fume TWA: 1 mg/m³; dusts and mists

		0.1 mg/m ³ ; respirable fraction, smoke STEL-KZGW: 4 mg/m ³ (4 X 15 min); inhalable fraction STEL-KZGW: 0.4 mg/m ³ (4 X 15 min); respirable fraction, smoke	mg/m ³ ; inhalable dust		mg/m ³ (value calculated); dust STEL: 0.3 mg/m ³ (value calculated); fume	STEL: 2 mg/m ³ ; dusts and mists STEL: 0.6 mg/m ³ (calculated); fume
--	--	--	------------------------------------	--	--	---

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Engineering Measures Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/Face Protection

Wear safety glasses with side shields (or goggles).

Hand Protection

Impervious gloves.

Skin and Body Protection

Impervious clothing. Boots. Chemical resistant apron.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.

Environmental Exposure Controls Prevent product from entering drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Liquid

Appearance

clear /light grey

Odor

Odorless

pH - VALUE 1

No data available

Melting point / melting range

No data available

Initial boiling point and boiling range

100 °C / 212 °F

Literary reference

Vapor pressure @20 °C (kPa)

No data available

Relative vapor density

No data available

Relative Density

No data available

Specific gravity - VALUE 1

No data available

Water solubility

Miscible

Literary reference

Partition coefficient: n-octanol/water

No data available

Autoignition temperature

No data available

Decomposition temperature

No data available

Dynamic viscosity - VALUE 1

No data available

Explosive properties

No information available

Oxidizing Properties

No information available

VOC content

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

10.3. Possibility of hazardous reactions**Hazardous polymerization**

None under normal processing.

Hazardous Reactions

None under normal processing.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Bases Cyanides

10.6. Hazardous decomposition products

Nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute Toxicity

Product Information

The product causes burns of eyes, skin and mucous membranes.

Inhalation

Causes burns. Corrosive to respiratory system. Inhaled corrosive substances can lead to a toxic edema of the lungs. Contact with moist mucous membranes of the respiratory system can cause caustic condition resulting in burns. Aspiration may cause pulmonary edema and pneumonitis.

Eye Contact

Causes burns.

Skin Contact

Causes burns.

Ingestion

Can burn mouth, throat, and stomach.

The following ATE values have been calculated for the mixture

ATEmix (oral) 44,334.10 mg/kg

ATEmix (inhalation-dust/mist) 22.21 mg/l

Unknown acute toxicity

0 % of the mixture consists of ingredient(s) of unknown acute toxicity.

0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.

0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).

0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).

0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Component Information

Skin corrosion/irritation No information available.

Serious eye damage/eye irritation No information available.

Sensitization No information available.

Mutagenic Effects No information available.

Carcinogenic effects

Chemical name	European Union
Beryllium di(acetate)	Carc. 1B

Reproductive Toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure May cause disorder and damage to the. blood. Central nervous system. Nervous system. lungs. Respiratory system.

Target organ effects Skin, Eyes, Respiratory system.

Aspiration hazard No information available.

SECTION 12: Ecological information

12.1. Toxicity

Contains -1E-05 % of components with unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Crustacea
Boric acid (H ₃ BO ₃)			EC50: 115 - 153mg/L (48h, Daphnia magna)
Copper	EC50: 0.0426 - 0.0535mg/L (72h, Pseudokirchneriella subcapitata) EC50: 0.031 - 0.054mg/L (96h, Pseudokirchneriella subcapitata)	LC50: 0.0068 - 0.0156mg/L (96h, Pimephales promelas) LC50: <0.3mg/L (96h, Pimephales promelas) LC50: =0.2mg/L (96h, Pimephales promelas) LC50: =0.052mg/L (96h, Oncorhynchus mykiss) LC50: =1.25mg/L (96h, Lepomis macrochirus) LC50: =0.3mg/L (96h, Cyprinus carpio) LC50: =0.8mg/L (96h, Cyprinus carpio) LC50: =0.112mg/L (96h, Poecilia reticulata)	EC50: =0.03mg/L (48h, Daphnia magna)

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

Chemical name	Partition coefficient
Boric acid (H ₃ BO ₃)	-1.09

12.4. Mobility in soil

Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

No information available.

Chemical name	PBT and vPvB assessment
Boric acid (H ₃ BO ₃)	Not PBT/vPvB PBT assessment does not apply
Copper	Not PBT/vPvB

12.6. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from Residues/Unused Products

Dispose of in accordance with federal, state and local regulations.

Contaminated Packaging

Do not reuse empty containers.

Other information

Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

IMDG

14.1. UN-No

UN3264

14.2. Proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s
14.3. Transport hazard class(es)	8
14.4. Packing Group	III
Description	Not applicable
14.5. Marine Pollutant	None
14.6. Special Provisions	None
No information available in bulk according to Annex II of MARPOL 73/78 and the IBC Code	No information available

RID

14.1. UN-No	UN3264
14.2. Proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s
14.3. Transport hazard class(es)	8
14.4. Packing Group	III
Description	Not applicable
14.5. Environmental hazard	None
14.6. Special Provisions	None

ADR

14.1. UN-No	UN3264
14.2. Proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s
14.3. Transport hazard class(es)	8
14.4. Packing Group	III
Description	Not applicable
14.5. Environmental hazard	None
14.6. Special Provisions	None

ICAO

14.1. UN-No	UN3264
14.2. Proper Shipping Name	Corrosive liquid, acidic, inorganic, n.o.s
14.3. Hazard Class	8
14.4. Packing Group	III
Description	Not applicable
14.5. Environmental hazard	None
14.6. Special Provisions	None

IATA-DGR

14.1. UN-No	UN3264
14.2. Proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s
14.3. Transport hazard class(es)	8
14.4. Packing Group	III
Description	Not applicable
14.5. Environmental hazard	None
14.6. Special Provisions	None

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

International Inventories

All of the components in the product are on the following inventory lists: U.S.A. (TSCA), Europe (EINECS/ELINCS/NLP), Canada (DSL/NDL), Philippines (PICCS), Japan (ENCS), China (IECSC), Australia (AICS), Korea (ECL).

TSCA	Complies
EINECS/ELINCS	Complies

DSL/NDSL	Complies
PICCS	Complies
ENCS	Complies
IECSC	Complies
AIIC	Complies
KECL	Complies

Legend

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
PICCS - Philippines Inventory of Chemicals and Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
AICS - Australian Inventory of Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances

15.2. Chemical safety assessment

No information available

SECTION 16: Other information**Full text of R-phrases referred to under sections 2 and 3**

No information available

Full text of any hazard and/or precautionary statements referred to under Sections 2-15

H301 - Toxic if swallowed
H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation
H330 - Fatal if inhaled
H335 - May cause respiratory irritation
H350i - May cause cancer by inhalation
H360FD - May damage fertility. May damage the unborn child
H372 - Causes damage to organs through prolonged or repeated exposure
H411 - Toxic to aquatic life with long lasting effects

Revision date 23-Jan-2026

Reason for Revision Not applicable.

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet